

Inpatient Quality Indicator 18 (IQI 18) Gastrointestinal Hemorrhage Mortality Rate July 2017 Provider-Level Indicator Type of Score: Rate

Prepared by:

Agency for Healthcare Research and Quality

U.S. Department of Health and Human Services

www.qualityindicators.ahrq.gov

DESCRIPTION

In-hospital deaths per 1,000 hospital discharges with gastrointestinal hemorrhage as a principal diagnosis for patients age 18 years and older. Excludes obstetric discharges, cases in hospice care at admission, and transfers to another hospital.

[NOTE: The software provides the rate per hospital discharge. However, common practice reports the measure as per 1,000 discharges. The user must multiply the rate obtained from the software by 1,000 to report in-hospital deaths per 1,000 hospital discharges.]

NUMERATOR

Number of deaths (DISP=20) among cases meeting the inclusion and exclusion rules for the denominator.

DENOMINATOR

Discharges for patients ages 18 years and older

With a secondary ICD-10-CM diagnosis code for esophageal varices with bleeding (ICD-10) (*FTR6GV**), and With a principal ICD-10-CM diagnosis code for qualifying diagnoses associated with a diagnosis of esophageal varices with bleeding (*FTR6QD**),

Or with a principal ICD-10-CM diagnosis code for gastrointestinal hemorrhage. (MRTGIHD*)

July 2017 1 of 7

AHRQ QI™ ICD-10-CM/PCS Specification Version 7.0 IQI 18 Gastrointestinal Hemorrhage Mortality Rate www.qualityindicators.ahrq.gov

DENOMINATOR EXCLUSIONS

Exclude cases:

- Transferring to another short-term hospital (DISP=2)
- Any procedure code for liver transplant
- Cases in hospice care at admission (PointOFOriginUB04=F)
- MDC 14 (pregnancy, childbirth, and puerperium)
- with missing discharge disposition (DISP=missing), gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis (DX1=missing)

July 2017 2 of 7

^{*} See below for code list

AHRQ QI™ ICD-10-CM/PCS Specification Version 7.0 IQI 18 Gastrointestinal Hemorrhage Mortality Rate www.qualityindicators.ahrq.gov

Esophageal varices with bleeding: (FTRGV)

I8511 Secondary esophageal varices with bleeding

July 2017 3 of 7

Qualifying diagnoses associated with a diagnosis of esophageal varicies with bleeding: (FTR6QD)

| B180 | Chronic viral hepatitis B with delta-agent | K718 | Toxic liver disease with other disorders of liver |
|-------|--|-------|--|
| B181 | Chronic viral hepatitis B without deltaagent | K719 | Toxic liver disease, unspecified |
| B182 | Chronic viral hepatitis C | K7200 | Acute and subacute hepatic failure without coma |
| B188 | Other chronic viral hepatitis | K7201 | Acute and subacute hepatic failure with coma |
| B189 | Chronic viral hepatitis, unspecified | K7210 | Chronic hepatic failure without coma |
| B190 | Unspecified viral hepatitis with hepatic coma | K7211 | Chronic hepatic failure with coma |
| B1910 | Unspecified viral hepatitis B without hepatic coma | K7290 | Hepatic failure, unspecified without coma |
| B1911 | Unspecified viral hepatitis B with hepatic coma | K7291 | Hepatic failure, unspecified with coma |
| B1920 | Unspecified viral hepatitis C without hepatic coma | K730 | Chronic persistent hepatitis, not elsewhere classified |
| B1921 | Unspecified viral hepatitis C with hepatic coma | K731 | Chronic lobular hepatitis, not elsewhere classified |
| B199 | Unspecified viral hepatitis without hepatic coma | K732 | Chronic active hepatitis, not elsewhere classified |
| B651 | Schistosomiasis due to Schistosoma mansoni [intestinal schistosomiasis] | K738 | Other chronic hepatitis, not elsewhere classified |
| B652 | Schistosomiasis due to Schistosoma japonicum | K739 | Chronic hepatitis, unspecified |
| B658 | Other schistosomiasis | K740 | Hepatic fibrosis |
| B659 | Schistosomiasis, unspecified | K741 | Hepatic sclerosis |
| C220 | Liver cell carcinoma | K742 | Hepatic fibrosis with hepatic sclerosis |
| C221 | Intrahepatic bile duct carcinoma | K743 | Primary biliary cirrhosis |
| C222 | Hepatoblastoma | K744 | Secondary biliary cirrhosis |
| C223 | Angiosarcoma of liver | K745 | Biliary cirrhosis, unspecified |
| C224 | Other sarcomas of liver | K7460 | Unspecified cirrhosis of liver |
| C227 | Other specified carcinomas of liver | K7469 | Other cirrhosis of liver |
| C228 | Malignant neoplasm of liver, primary, unspecified as to type | K751 | Phlebitis of portal vein |
| C229 | Malignant neoplasm of liver, not specified as primary or secondary | K752 | Nonspecific reactive hepatitis |
| C787 | Secondary malignant neoplasm of liver and intrahepatic bile duct | K753 | Granulomatous hepatitis, not elsewhere classified |
| C7B02 | Secondary carcinoid tumors of liver | K754 | Autoimmune hepatitis |
| C861 | Hepatosplenic T-cell lymphoma | K7581 | Nonalcoholic steatohepatitis (NASH) |
| D015 | Carcinoma in situ of liver, gallbladder | K7589 | Other specified inflammatory liver |
| | and bile ducts | | diseases |

July 2017 4 of 7

| D376 | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts | K759 | Inflammatory liver disease, unspecified |
|-------|---|-------|---|
| I81 | Portal vein thrombosis | K760 | Fatty (change of) liver, not elsewhere classified |
| I820 | Budd-Chiari syndrome | K761 | Chronic passive congestion of liver |
| K7011 | Alcoholic hepatitis with ascites | K762 | Central hemorrhagic necrosis of liver |
| K702 | Alcoholic fibrosis and sclerosis of liver | K763 | Infarction of liver |
| K7030 | Alcoholic cirrhosis of liver without ascites | K765 | Hepatic veno-occlusive disease |
| K7031 | Alcoholic cirrhosis of liver with ascites | K766 | Portal hypertension |
| K7040 | Alcoholic hepatic failure without coma | K767 | Hepatorenal syndrome |
| K7041 | Alcoholic hepatic failure with coma | K7681 | Hepatopulmonary syndrome |
| K709 | Alcoholic liver disease, unspecified | K7689 | Other specified diseases of liver |
| K710 | Toxic liver disease with cholestasis | K769 | Liver disease, unspecified |
| K7110 | Toxic liver disease with hepatic necrosis, without coma | K77 | Liver disorders in diseases classified elsewhere |
| K7111 | Toxic liver disease with hepatic necrosis, with coma | K830 | Cholangitis |
| K712 | Toxic liver disease with acute hepatitis | K9182 | Postprocedural hepatic failure |
| K713 | Toxic liver disease with chronic persistent hepatitis | Q265 | Anomalous portal venous connection |
| K714 | Toxic liver disease with chronic lobular hepatitis | Q266 | Portal vein-hepatic artery fistula |
| K7150 | Toxic liver disease with chronic active hepatitis without ascites | T8642 | Liver transplant failure |
| K7151 | Toxic liver disease with chronic active hepatitis with ascites | T8643 | Liver transplant infection |
| K716 | Toxic liver disease with hepatitis, not elsewhere classified | T8649 | Other complications of liver transplant |
| K717 | Toxic liver disease with fibrosis and cirrhosis of liver | | |

July 2017 5 of 7

Gastrointestinal hemorrhage diagnosis codes: (MRTGIHD)

| I8501 | Esophageal varices with bleeding | K3182 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum |
|-------|---|--------|--|
| I8511 | Secondary esophageal varices with bleeding | K50011 | Crohns disease of small intestine with rectal bleeding |
| K2211 | Ulcer of esophagus with bleeding | K50111 | Crohns disease of large intestine with rectal bleeding |
| K226 | Gastro-esophageal laceration-hemorrhage syndrome | K50811 | Crohns disease of both small and large intestine with rectal bleeding |
| K250 | Acute gastric ulcer with hemorrhage | K50911 | Crohns disease, unspecified, with rectal bleeding |
| K252 | Acute gastric ulcer with both hemorrhage and perforation | K51011 | Ulcerative (chronic) pancolitis with rectal bleeding |
| K254 | Chronic or unspecified gastric ulcer with hemorrhage | K51211 | Ulcerative (chronic) proctitis with rectal bleeding |
| K256 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation | K51311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding |
| K260 | Acute duodenal ulcer with hemorrhage | K51411 | Inflammatory polyps of colon with rectal bleeding |
| K262 | Acute duodenal ulcer with both hemorrhage and perforation | K51511 | Left sided colitis with rectal bleeding |
| K264 | Chronic or unspecified duodenal ulcer with hemorrhage | K51811 | Other ulcerative colitis with rectal bleeding |
| K266 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation | K51911 | Ulcerative colitis, unspecified with rectal bleeding |
| K270 | Acute peptic ulcer, site unspecified, with hemorrhage | K5521 | Angiodysplasia of colon with hemorrhage |
| K272 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation | K5701 | Diverticulitis of small intestine with perforation and abscess with bleeding |
| K274 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage | K5711 | Diverticulosis of small intestine without perforation or abscess with bleeding |
| K276 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation | K5713 | Diverticulitis of small intestine without perforation or abscess with bleeding |
| K280 | Acute gastrojejunal ulcer with hemorrhage | K5721 | Diverticulitis of large intestine with perforation and abscess with bleeding |
| K282 | Acute gastrojejunal ulcer with both hemorrhage and perforation | K5731 | Diverticulosis of large intestine without perforation or abscess with bleeding |
| K284 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | K5733 | Diverticulitis of large intestine without perforation or abscess with bleeding |

July 2017 6 of 7

AHRQ QI™ ICD-10-CM/PCS Specification Version 7.0 IQI 18 Gastrointestinal Hemorrhage Mortality Rate www.qualityindicators.ahrq.gov

| K286 | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation | K5741 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding |
|--------|---|-------|---|
| K2901 | Acute gastritis with bleeding | K5751 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding |
| K2921 | Alcoholic gastritis with bleeding | K5753 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding |
| K2931 | Chronic superficial gastritis with bleeding | K5781 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding |
| K2941 | Chronic atrophic gastritis with bleeding | K5791 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding |
| K2951 | Unspecified chronic gastritis with bleeding | K5793 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding |
| K2961 | Other gastritis with bleeding | K625 | Hemorrhage of anus and rectum |
| K2971 | Gastritis, unspecified, with bleeding | K6381 | Dieulafoy lesion of intestine |
| K2981 | Duodenitis with bleeding | K920 | Hematemesis |
| K2991 | Gastroduodenitis, unspecified, with bleeding | K921 | Melena |
| K31811 | Angiodysplasia of stomach and duodenum with bleeding | K922 | Gastrointestinal hemorrhage, unspecified |

July 2017 7 of 7